




SOLIDGABION[®]


The Smart Solution To Soil Erosion



SOLID GABION




SG 211
2 x 1 x 1m




SG 411
4 x 1 x 1m

SPECIFICATIONS				
Standard	Non-DPWH Standard		DPWH Standard (Blue Book)	
Body Wire	2.7mm ø	2.7mm ø	3.05mm ø	2.7mm ø + 1mm PVC
Selvedge Wire	3.4mm ø	3.4mm ø	3.80mm ø	3.4mm ø +1mm PVC
Tie Wire	2.2mm ø	2.2mm ø	2.2mm ø	2.2mm ø + 1mm PVC
Mesh Opening	100 x 120mm	80 x 100mm		
Zinc Coating	ASTM A 641, Weight of required zinc coating conforms with DPWH Blue Book			
Tensile Strength	ASTM A 370, Minimum of 350 MPa as per DPWH Blue Book			


SPECIFICATIONS	
Standard	DPWH Standard (Blue Book)
Body Wire	3.05mm ϕ
Selvedge Wire	3.80mm ϕ
Tie Wire	2.2mm ϕ
Mesh Opening	80 x 100mm
Zinc Coating	ASTM A 641, Weight of required zinc coating conforms with DPWH Blue Book
Tensile Strength	ASTM A 370, Minimum of 350 MPa as per DPWH Blue Book



SG 311
3 x 1 x 1m



SG 315
3 x 1 x 0.5m



SG 623
6 x 2 x 0.3m

SPECIFICATIONS		
Standard	DPWH Standard (Blue Book)	
Body Wire	2.2mm ϕ	2.2mm ϕ + 1mm PVC
Selvedge Wire	2.7mm ϕ	2.7mm ϕ + 1mm PVC
Tie Wire	2.2mm ϕ	2.2mm ϕ + 1mm PVC
Mesh Opening	60 x 80 mm	
Zinc Coating	ASTM A 641, Weight of required zinc coating conforms with DPWH Blue Book	
Tensile Strength	ASTM A 370, Minimum of 350 MPa as per DPWH Blue Book	

GEOTEXTILE (FILTER CLOTH)

PRODUCT DATA SHEET

ITEM	UNIT	INDEX		
WEIGHT PER SQUARE METER	g/m ²	150 g/m ²	250 g/m ²	400 g/m ²
THICKNESS	mm	1.2	1.9	2.8
BREAKING STRENGTH	KN/m	7.5	12.5	20.5
ELONGATION AT BREAK	%	40~80	40~80	40~80
CBR MULLEN BURST STRENGTH	KN	1.4	2.2	3.5
TEAR STRENGTH	KN	0.21	0.35	0.56
SIEVE SIZE O ₉₀	mm	0.07~0.2	0.07~0.2	0.07~0.2




GABION TIE WIRE

High Zinc Coating For Gabion Projects

2.2mm zinc coating

2.2mm + 1mm pvc coated 50kgs/roll



The information contained in this document is a general guide to the use of such products, and is to the best of our knowledge, true and accurate. The values are based on testing conducted by the Quality Assurance and Quality control unit from our factory. Solid Gabion reserves the right to make modifications to its products without notice.

www.solid.ph | **CALL US NOW!**

METRO MANILA
 12/F 1203A West Tower, TekTite Building, Exchange Road
 Ortigas Center, Pasig City 1605
+63 917 525 6000

PANGASINAN
 1000 Sta. Barbara - Mangaldan Road
 Brgy. Malanay, Sta. Barbara 2419
+63 917 773 1900

ISABELA
 Maharlika Highway Barangay Sinippil
 Reina Mercedes, Isabela 3303
+63 917 162 3000

DAVAO
 Purok 26, Caimito, Ma-a Riverside Road
 Brgy. Ma-a, Davao City 8000
+63 917 525 3000